

## PEARL-GLOSSY CONDENSATE, MANUFACTURE AND SHAMPOO

Patent Number: JP58038798  
Publication date: 1983-03-07  
Inventor(s): DEIBUITSUDO JIYON AREGUZAANDAA  
Applicant(s): UNILEVER NV  
Requested Patent: JP58038798  
Application Number: JP19820140893 19820813  
Priority Number(s): GB19810025062 19810817  
IPC Classification: A61K7/06; C09K3/00; C11D1/66; C11D1/74  
EC Classification:  
EC Classification:  
Equivalents:

### Abstract

Pearlescent liqs., esp. cleansing solns., are prepd. using XO (CH<sub>2</sub>CH<sub>2</sub>O) nCOR<sub>1</sub> (R<sub>1</sub> = C<sub>12</sub>-20 alkyl; X = H or COR<sub>1</sub>; n = 1-5) as the pearlescent agent and R<sub>2</sub>CONZYOH (R<sub>2</sub> = C<sub>10</sub>-20 alkyl; Y = C<sub>2</sub>-3 alkylene; Z = H or YOH) as the thickening agent. Thus, 900 g Na lauryl ether sulfate was dissolved in 1440 mL water at 65.degree., and ethylene glycol distearate [ 627-83-8 ] (a pearlescent agent) 300 and coconut monoethanolamide (a thickening agent) 300 g were added. The soln. was slowly cooled to 45.degree. and allowed to form crystals. The product was added to a shampoo base at 9% by wt.